


TRST-FSO-96 P6.67mm

New outdoor front /rear maintance box



Features:

Environmental protection/high brightness /high energy saving:

Voltage-divided power supply design, the average power consumption is only 200W.

Light and thin design:

- 1.Profile aluminum frame design, the screen is light and thin.
- 2. Save space, save cost, easy to carry and install.

Easy installation:

- 1. The cabinet can be stacked or hoisted.
- 2. Easy and quick installation and removal.

Ultra-wide viewing angle/naked eye 3D:

- 1. With 140° (H/V) ultra-wide viewing angle.
- 2. Can be spliced at right angles or in arcs, easily realizing naked eye 3D.

High contrast/bright and delicate colors:

- High brim mask design, good ink color consistency.
- 2. High contrast, up to 9500:1, rich and delicate colors.
- 3. Clear and natural picture, giving you a vivid and clear viewing effect.

High protection level/stable and reliable: 1. High-strength anti-aging fabric, IP65 protection level.

2. Die-cast aluminum bottom shell, high heat dissipation rib design, good heat dissipation performance.

Main Technical Specifications:

	Mode	TRST-FSO-96-667	
Module Specification	Pixel Pitch	6.67mm	
	Pixel density	22500dot/m²	
	LED Type	SMD2727(1R1G1B)	
	Module Size	480×320mm	
	Module Resolution	72*48 dot	
Cabinet Specification	Cabinet Size	960*960*77mm	
	Cabinet Resolution	144*144dot	
	Material	Aluminum Profile	
	Cabinet Weight	28kg	
Display Specification	Brightness	≥7500cd/m²	
	Viewing Angle	HV 140°/140°	
	Contrast Ratio	9500 : 1	
	Current range high	≥5m	
	Color Temperature	2000-10000K (Adjustable)	
	Fresh Rate	≥3840Hz	
	Gray Grade	14Bit+	
	Scanning Mode	1/65	
	IP Rating	IP65	
	Max Consumption	650W/m²	
	Average PowerConsumptio	on (W/ ㎡) 200	
	Working Input	AC 110-240V,50-60HZ	
	Energy Consumption Mode	Common anode energy-saving	
	Control Way	Computer synchronous control	
	Input Signal	Composite Video, DVI, VGA, HDMI, HDSDI	
	Working temperature	-20~+60	
	Working humidity	10%~95%RH	
	Application environment	10-90%RH	

Applications:



Suitable for outdoor advertising,markets,squares, theme parks, stadiums, etc.